


(UZUN ÖMÜR) AĞIR İŞ CD SERİSİ GAZLI YAYLAR






MODEL	F ₀	Ø	S	L1	Pmax	Charge Port		
CD 300 V1	300	Ø32	10 - 125	70 - 300	150	M6	✓	✓
CD 500 V1	500	Ø38	10 - 125	70 - 300	150	M6	✓	✓
CD 700	700	Ø45	12.7 - 160	110.4 - 405	150	G1/8"	✓	✓
CD 1000 V1	1000	Ø50	13 - 300	121 - 695	150	G1/8"	✓	✓
CD 1500 V1	1500	Ø63	25 - 200	145 - 495	150	G1/8"	✓	✓
CD 2400	2400	Ø75	25 - 300	160 - 710	150	G1/8"	✓	✓
CD 4200	4200	Ø95	25 - 300	170 - 720	150	G1/8"	✓	✓
CD 6600	6600	Ø120	25 - 300	190 - 740	150	G1/8"	✓	✓
CD 9600	9600	Ø150	25 - 300	205 - 755	150	G1/8"	✓	✓
CD 18500	18500	Ø195	25 - 300	210 - 760	150	G1/8"	✓	✓

								
								
		L1=131 L1=138 L1=152	L1=138	L1=138 L1=150 L1=150	L1=170 L1=185 L1=195	L1=195	L1=190	L1=220
		1000 1000 1000	1000	1000 1000 750	750 1000 1000	750	2000	1800
MODEL	X	CR 1000 CW 1000 CZ 1000	AS 1000	CT 1000 CK 1000 FD 750	GN 750 CM 1000 OD 1000	AG 750	CP 2000	CS 1800
SERIES	MINI	COMPACT HEIGHT	THREADED	LOW PROFILE	HEAVY DUTY	ISO	HEAVY LOAD	POWER COMPACT STROKE
								







CD 300 V1


ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CD 300 010	10	70	60
CD 300 012	12.7	75.4	62.7
CD 300 016	16	82	66
CD 300 025	25	100	75
CD 300 038	38	126	88
CD 300 050	50	150	100
CD 300 063	63.5	177	113.5
CD 300 080	80	210	130
CD 300 100	100	250	150
CD 300 125	125	300	175



CD 500 V1






ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CD 500 010 V1	10	70	60
CD 500 012 V1	12.7	75.4	62.7
CD 500 016 V1	16	82	66
CD 500 025 V1	25	100	75
CD 500 038 V1	38	126	88
CD 500 050 V1	50	150	100
CD 500 063 V1	63.5	177	113.5
CD 500 080 V1	80	210	130
CD 500 100 V1	100	250	150
CD 500 125 V1	125	300	175









CD 700


ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CD 700 012	12.7	110.4	97.7
CD 700 016	16	117	101
CD 700 025	25	135	110
CD 700 038	38	161	123
CD 700 050	50	185	135
CD 700 063	63.5	212	148.5
CD 700 080	80	245	165
CD 700 100	100	285	185
CD 700 125	125	335	210
CD 700 160*	160	405	245



CD 1000 V1






ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CD 1000 013	13	121	108
CD 1000 025	25	145	120
CD 1000 038	38	171	133
CD 1000 050	50	195	145
CD 1000 063	63.5	222	158.5
CD 1000 080	80	255	175
CD 1000 100	100	295	195
CD 1000 125	125	345	220
CD 1000 160*	160	415	255
CD 1000 200*	200	495	295
CD 1000 250*	250	595	345
CD 1000 300*	300	695	395









CD 1500 V1


ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CD 1500 025	25	145	120
CD 1500 038	38	171	133
CD 1500 050	50	195	145
CD 1500 063	63	221	158
CD 1500 080	80	255	175
CD 1500 100	100	295	195
CD 1500 125	125	345	220
CD 1500 160*	160	415	255
CD 1500 200*	200	495	295



CD 2400






ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CD 2400 025	25	160	135
CD 2400 038	38	186	148
CD 2400 050	50	210	160
CD 2400 063	63.5	237	173.5
CD 2400 080	80	270	190
CD 2400 100	100	310	210
CD 2400 125	125	360	235
CD 2400 160*	160	430	270
CD 2400 200*	200	510	310
CD 2400 250*	250	610	360
CD 2400 300*	300	710	410









CD 4200


ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CD 4200 025	25	170	145
CD 4200 038	38	196	158
CD 4200 050	50	220	170
CD 4200 063	63.5	247	183.5
CD 4200 080	80	280	200
CD 4200 100	100	320	220
CD 4200 125	125	370	245
CD 4200 160*	160	440	280
CD 4200 200*	200	520	320
CD 4200 250*	250	620	370
CD 4200 300*	300	720	420



CD 6600






ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CD 6600 025	25	190	165
CD 6600 038	38	216	178
CD 6600 050	50	240	190
CD 6600 063	63.5	267	203.5
CD 6600 080	80	300	220
CD 6600 100	100	340	240
CD 6600 125	125	390	265
CD 6600 160*	160	460	300
CD 6600 200*	200	540	340
CD 6600 250*	250	640	390
CD 6600 300*	300	740	440





CD 9600

ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CD 9600 025	25	205	180
CD 9600 038	38	231	193
CD 9600 050	50	255	205
CD 9600 063	63.5	282	218.5
CD 9600 080	80	315	235
CD 9600 100	100	355	255
CD 9600 125	125	405	280
CD 9600 160*	160	475	315
CD 9600 200*	200	555	355
CD 9600 250*	250	655	405
CD 9600 300*	300	755	455



CD 18500

ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CD 18500 025	25	210	185
CD 18500 038	38	236	198
CD 18500 050	50	260	210
CD 18500 063	63.5	287	223.5
CD 18500 080	80	320	240
CD 18500 100	100	360	260
CD 18500 125	125	410	285
CD 18500 160*	160	480	320
CD 18500 200*	200	560	360
CD 18500 250*	250	660	410
CD 18500 300*	300	760	460

