


GÜÇLÜ KOMPAKT STROK CS SERİSİ GAZLI YAYLAR






MODEL	F ₀	Ø	S	L1	Pmax	Charge Port		
CS 420 V1	420	Ø25	6 - 50	56 - 195	165	M6	X	✓
CSE 420 V1	420	Ø25	6 - 50	56 - 195	165	M6	✓	X
CS 770 V2	770	Ø32	6 - 50	63 - 195	150	M6	X	✓
CSE 770 V2	770	Ø32	6 - 50	63 - 195	150	M6	✓	X
CS 1000 V1	1000	Ø38	6 - 50	61 - 230	150	M6	X	✓
CSE 1000 V1	1000	Ø38	6 - 50	61 - 230	150	G1/8"	✓	X
CS 1800 V1	1800	Ø50	6 - 65	66 - 220	150	G1/8"	X	✓
CSE 1800 V1	1800	Ø50	6 - 50	66 - 220	150	G1/8"	✓	X
CS 3000 V2	3000	Ø63	10 - 65	85 - 256	150	G1/8"	X	✓
CSE 3000 V2	3000	Ø63	10 - 50	85 - 205	150	G1/8"	✓	X
CS 4700 V1	4700	Ø75	10 - 65	80 - 273	150	G1/8"	X	✓
CSE 4700 V1	4700	Ø75	10 - 50	80 - 240	150	G1/8"	✓	X
CS 7500 V1	7500	Ø95	10 - 65	90 - 279	150	G1/8"	X	✓
CSE 7500 V1	7500	Ø95	10 - 50	90 - 255	150	G1/8"	✓	X
CS 11800 V1	11800	Ø120	10 - 65	100 - 320	150	G1/8"	X	✓
CSE 11800 V1	11800	Ø120	10 - 50	100 - 260	150	G1/8"	✓	X
CS 18300 V1	18300	Ø150	10 - 65	110 - 323	150	G1/8"	X	✓
CSE 18300 V1	18300	Ø150	10 - 50	110 - 270	150	G1/8"	✓	X

								
mm		50	50	50	50	50	50	50
								
mm		Ø50	Ø50	Ø50	Ø50	Ø50	Ø50	Ø50
		L1=131 L1=138 L1=152	L1=138	L1=138 L1=150 L1=150	L1=170 L1=185 L1=195	L1=195	L1=190	L1=220
mm								
		1000 1000 1000	1000	1000 1000 750	750 1000 1000	750	2000	1800
daN								
MODEL	X	CR 1000 CW 1000 CZ 1000	AS 1000	CT 1000 CK 1000 FD 750	GN 750 CM 1000 CD 1000	AG 750	CP 2000	CS 1800
SERIES	MINI	COMPACT HEIGHT	THREADED	LOW PROFILE	HEAVY DUTY	ISO	HEAVY LOAD	POWER COMPACT STROKE
								







CS 420 V1


ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CS 420 006	6	56	50
CS 420 010	10	70	60
CS 420 016	16	91	75
CS 420 025	25	120	95
CS 420 032	32	140	108
CS 420 040	40	165	125
CS 420 050	50	195	145



CSE 420 V1






ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CSE 420 006	6	56	50
CSE 420 010	10	70	60
CSE 420 016	16	91	75
CSE 420 025	25	120	95
CSE 420 032	32	140	108
CSE 420 040	40	165	125
CSE 420 050	50	195	145









CS 770 V2


ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CS 770 006	6	63	57
CS 770 010	10	75	65
CS 770 016	16	93	77
CS 770 025	25	120	95
CS 770 032	32	140	108
CS 770 040	40	165	125
CS 770 050	50	195	145



CSE 770 V2






ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CSE 770 006 V1	6	63	57
CSE 770 010 V1	10	75	65
CSE 770 016 V1	16	93	77
CSE 770 025 V1	25	120	95
CSE 770 032 V1	32	140	108
CSE 770 040 V1	40	165	125
CSE 770 050 V1	50	195	145









CS 1000 V1


ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CS 1000 006	6	61	55
CS 1000 010	10	77	67
CS 1000 016	16	100	84
CS 1000 025	25	135	110
CS 1000 032	32	167	135
CS 1000 040	40	195	155
CS 1000 050	50	230	180



CSE 1000 V1






ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CSE 1000 006	6	61	55
CSE 1000 010	10	77	67
CSE 1000 016	16	100	84
CSE 1000 025	25	135	110
CSE 1000 032	32	167	135
CSE 1000 040	40	195	155
CSE 1000 050	50	230	180









CS 1800 V1


ÜRÜN KODU	S (mm)	L1 ±0.25 (mm)	L (mm)
CS 1800 006	6	66	60
CS 1800 010	10	80	70
CS 1800 016	16	106	90
CS 1800 025	25	135	110
CS 1800 032	32	162	130
CS 1800 040	40	190	150
CS 1800 050	50	220	170
CS 1800 065	65	271	206



CSE 1800 V1






ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CSE 1800 006	6	66	60
CSE 1800 010	10	80	70
CSE 1800 016	16	106	90
CSE 1800 025	25	135	110
CSE 1800 032	32	162	130
CSE 1800 040	40	190	150
CSE 1800 050	50	220	170









CS 3000 V2


ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CS 3000 010	10	85	75
CS 3000 016	16	103	87
CS 3000 025	25	130	105
CS 3000 032	32	150	118
CS 3000 040	40	175	135
CS 3000 050	50	205	155
CS 3000 065	65	256	191



CSE 3000 V2





ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CSE 3000 010	10	85	75
CSE 3000 016	16	103	87
CSE 3000 025	25	130	105
CSE 3000 032	32	150	118
CSE 3000 040	40	175	135
CSE 3000 050	50	205	155









CS 4700 V1


ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CS 4700 010	10	80	70
CS 4700 016	16	106	90
CS 4700 025	25	135	110
CS 4700 032	32	167	135
CS 4700 040	40	200	160
CS 4700 050	50	240	190
CS 4700 065	65	273	208



CSE 4700 V1






ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CSE 4700 010*	10	80	70
CSE 4700 016	16	106	90
CSE 4700 025	25	135	110
CSE 4700 032	32	167	135
CSE 4700 040	40	200	160
CSE 4700 050	50	240	190









CS 7500 V1


ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CS 7500 010	10	90	80
CS 7500 016	16	116	100
CS 7500 025	25	145	120
CS 7500 032	32	182	150
CS 7500 040	40	210	170
CS 7500 050	50	255	205
CS 7500 065	65	279	214



CSE 7500 V1






ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CSE 7500 010	10	90	80
CSE 7500 016	16	116	100
CSE 7500 025	25	145	120
CSE 7500 032	32	182	150
CSE 7500 040	40	210	170
CSE 7500 050	50	255	205









CS 11800 V1


ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CS 11800 010	10	100	90
CS 11800 016	16	126	110
CS 11800 025	25	155	130
CS 11800 032	32	187	155
CS 11800 040	40	220	180
CS 11800 050	50	260	210
CSE 7500 065	65	320	255



CSE 11800 V1






ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CSE 11800 010	10	100	90
CSE 11800 016	16	126	110
CSE 11800 025	25	155	130
CSE 11800 032	32	187	155
CSE 11800 040	40	220	180
CSE 11800 050	50	260	210









CS 18300 V1

ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CS 18300 010	10	110	100
CS 18300 016	16	136	120
CS 18300 025	25	165	140
CS 18300 032	32	197	165
CS 18300 040	40	235	195
CS 18300 050	50	270	220
CS 18300 065	65	323	258




CSE 18300 V1

ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
CSE 18300 010	10	110	100
CSE 18300 016	16	136	120
CSE 18300 025	25	165	140
CSE 18300 032	32	197	165
CSE 18300 040	40	235	195
CSE 18300 050	50	270	220








GAZLI YAYLI ÇIKARICILAR







EFG 16


ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
EFG 16 --- 010	10	80	70
EFG 16 --- 020	20	100	80
EFG 16 --- 030	30	120	90
EFG 16 --- 040	40	140	100
EFG 16 --- 050	50	160	110
EFG 16 --- 060	60	180	120
EFG 16 --- 070	70	200	130
EFG 16 --- 080	80	220	140
EFG 16 --- 100	100	260	160



EFGC 16

ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
EFGC 16 -- 010	10	65	55
EFGC 16 -- 020	20	85	65
EFGC 16 -- 030	30	105	75
EFGC 16 -- 040	40	125	85
EFGC 16 -- 050	50	145	95
EFGC 16 -- 060	60	165	105
EFGC 16 -- 070	70	185	115
EFGC 16 -- 080	80	205	125
EFGC 16 -- 100	100	245	145
EFGC 16 -- 125	125	295	170










KOD	RENK	bar	psi	F ₀ daN	F ₁ daN
EFGQ 16 13 050	Yeşil	20	290	6	8
EFGQ 16 25 050	Mavi	40	580	11	15
EFGQ 16 38 050	Kırmızı	75	1090	21	30
EFGQ 16 50 050	Sarı	150	2175	42	55
EFGQ 16 XX 050	Siyah	20-180	290-2610	6-50	8-70

EFGQ 16





ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
EFGQ 16 --- 007	7	56	49
EFGQ 16 --- 010	10	62	52
EFGQ 16 --- 012	12.7	67.4	54.7
EFGQ 16 --- 015	15	72	57
EFGQ 16 --- 025	25	92	67
EFGQ 16 --- 038	38	118	80
EFGQ 16 --- 050	50	142	92
EFGQ 16 --- 063	63.5	172	108.5
EFGQ 16 --- 080	80	205	125




KOD	RENK	bar	psi	F ₀ daN	F ₁ daN
EFT 16 6 050	Yeşil	20	290	6	8
EFT 16 11 050	Mavi	40	580	11	15
EFT 16 21 050	Kırmızı	75	1090	21	30
EFT 16 42 050	Sarı	150	2175	42	55
EFT 16 XX 050	Siyah	20-180	290-2610	6-50	8-70

EFT 16

ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
EFT 16 --- 010	10	65	55
EFT 16 --- 015	15	75	60
EFT 16 --- 020	20	85	65
EFT 16 --- 025	25	95	70
EFT 16 --- 030	30	105	75
EFT 16 --- 040	40	125	85
EFT 16 --- 050	50	145	95
EFT 16 --- 060	60	165	105
EFT 16 --- 070	70	185	115
EFT 16 --- 080	80	205	125
EFT 16 --- 100	100	245	145
EFT 16 --- 125	125	295	170









KOD	RENK	bar	psi	F ₀ daN	F ₁ daN
EFGD 16 6 050	Yeşil	20	290	6	8
EFGD 16 11 050	Mavi	40	580	11	15
EFGD 16 21 050	Kırmızı	75	1090	21	30
EFGD 16 42 050	Sarı	150	2175	42	55
EFGD 16 XX 050	Siyah	20-180	290-2610	6-50	8-70

EFGD 16





ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
EFGD 16 -- 010	10	65	55
EFGD 16 -- 020	20	85	65
EFGD 16 -- 030	30	105	75
EFGD 16 -- 040	40	125	85
EFGD 16 -- 050	50	145	95
EFGD 16 -- 060	60	165	105
EFGD 16 -- 070	70	185	115
EFGD 16 -- 080	80	205	125
EFGD 16 -- 100	100	245	145
EFGD 16 -- 125	125	295	170




KOD	RENK	bar	psi	F ₀ daN	F ₁ daN
EFGL 16 13 050	Yeşil	45	650	13	20
EFGL 16 25 050	Mavi	90	1305	25	40
EFGL 16 38 050	Kırmızı	135	1960	38	60
EFGL 16 50 050	Sarı	180	2610	50	80
EFGL 16 XX 050	Siyah	20-180	290-2610	6-50	8-80

EFGL 16





ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
EFGL 16 --- 007	7	56	49
EFGL 16 --- 010	10	62	52
EFGL 16 --- 012	12.7	67.4	54.7
EFGL 16 --- 015	15	72	57
EFGL 16 --- 025	25	92	67
EFGL 16 --- 038	38	118	80
EFGL 16 --- 050	50	142	92
EFGL 16 --- 063.5	63.5	172	108.5
EFGL 16 --- 080	80	205	125










EFV 16


ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
EFV 16 --- 007	7	56	49
EFV 16 --- 010	10	62	52
EFV 16 --- 012	12.7	67.4	54.7
EFV 16 --- 015	15	72	57
EFV 16 --- 025	25	92	67
EFV 16 --- 038	38	118	80
EFV 16 --- 050	50	142	92
EFV 16 --- 063	63.5	172	108.5
EFV 16 --- 080	80	205	125



EFG 24

ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
EFG 24 --- 010	10	80	70
EFG 24 --- 020	20	100	80
EFG 24 --- 030	30	120	90
EFG 24 --- 040	40	140	100
EFG 24 --- 050	50	160	110
EFG 24 --- 060	60	180	120
EFG 24 --- 070	70	200	130
EFG 24 --- 080	80	220	140
EFG 24 --- 100	100	260	160










KOD	RENK	bar	psi	F ₀ daN	F ₁ daN
EFGC 24 23 050	Yeşil	20	290	23	40
EFGC 24 45 050	Mavi	40	580	45	80
EFGC 24 85 050	Kırmızı	75	1090	85	150
EFGC 24 170 050	Sarı	150	2175	170	300
EFGC 24 XXX 050	Siyah	20-180	290-2610	23-200	40-350

EFGC 24




ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
EFGC 24 --- 010	10	65	55
EFGC 24 --- 020	20	85	65
EFGC 24 --- 030	30	105	75
EFGC 24 --- 040	40	125	85
EFGC 24 --- 050	50	145	95
EFGC 24 --- 060	60	165	105
EFGC 24 --- 070	70	185	115
EFGC 24 --- 080	80	205	125
EFGC 24 --- 100	100	245	145
EFGC 24 --- 125	125	295	170




KOD	RENK	bar	psi	F ₀ daN	F ₁ daN
EFGL 24 30 050	Yeşil	60	870	30	40
EFGL 24 50 050	Mavi	100	1450	50	65
EFGL 24 70 050	Kırmızı	140	2030	70	95
EFGL 24 90 050	Sarı	180	2610	90	120
EFGL 24 XX 050	Siyah	20-180	290-2610	10-90	13-120

EFGL 24




ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
EFGL 24 --- 007	7	56	49
EFGL 24 --- 010	10	62	52
EFGL 24 --- 012	12.7	67.4	54.7
EFGL 24 --- 015	15	72	57
EFGL 24 --- 025	25	92	67
EFGL 24 --- 038	38	118	80
EFGL 24 --- 050	50	142	92
EFGL 24 --- 063	63.5	172	109
EFGL 24 --- 080	80	205	125
EFGL 24 --- 100	100	245	145
EFGL 24 --- 125	125	295	170





EFK 24

ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
EFK 24 --- 010	10	65	55
EFK 24 --- 016	16	77	61
EFK 24 --- 020	20	85	65
EFK 24 --- 025	25	95	70
EFK 24 --- 030	30	105	75
EFK 24 --- 038	38	121	83
EFK 24 --- 040	40	125	85
EFK 24 --- 050	50	145	95
EFK 24 --- 060	60	165	105
EFK 24 --- 070	70	185	115
EFK 24 --- 080	80	205	125
EFK 24 --- 100	100	245	145
EFK 24 --- 125	125	295	170



EFV 24

ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
EFV 24 --- 007	7	56	49
EFV 24 --- 010	10	62	52
EFV 24 --- 012	12.7	67.4	54.7
EFV 24 --- 015	15	72	57
EFV 24 --- 025	25	92	67
EFV 24 --- 038	38	118	80
EFV 24 --- 050	50	142	92
EFV 24 --- 063	63.5	172	108.5
EFV 24 --- 080	80	205	125
EFV 24 --- 100	100	245	145
EFV 24 --- 125	125	295	170

