


ISO

APF VE AG SERİSİ GAZLI YAYLAR






MODEL	F ₀	Ø	S	L1	Pmax	Charge Port		
APFA 150	150	Ø32	10 - 125	70 - 300	180	M6	X	✓
APFC-H 150	150	Ø32	10 - 125	70 - 300	180	G1/8"	✓	✓
APFA 250	250	Ø38	10 - 125	70 - 300	150	M6	✓	✓
APFC-H 250	250	Ø38	10 - 125	70 - 300	150	G1/8"	✓	✓
APF 500	500	Ø45	10 - 160	105 - 405	150	G1/8"	✓	✓
AG 750	750	Ø50	12.7 - 300	120.4 - 695	150	G1/8"	✓	✓
AG 1500	1500	Ø75	12.7 - 300	135.4 - 710	150	G1/8"	✓	✓
AG 3000	3000	Ø95	12.7 - 300	145.4 - 720	150	G1/8"	✓	✓
AG 5000	5000	Ø120	12.7 - 300	165.4 - 740	150	G1/8"	✓	✓
AG 7500	7500	Ø150	12.7 - 300	180.4 - 755	150	G1/8"	✓	✓
AG 10000	10000	Ø195	12.7 - 300	185.4 - 760	150	G1/8"	✓	✓

								
								
		L1=131 L1=138 L1=152	L1=138	L1=138 L1=150 L1=150	L1=170 L1=185 L1=195	L1=195	L1=190	L1=220
		1000 1000 1000	1000	1000 1000 750	750 1000 1000	750	2000	1800
MODEL	X	CR 1000 CW 1000 CZ 1000	AS 1000	CT 1000 CK 1000 FD 750	GN 750 CM 1000 CD 1000	AG 750	CP 2000	CS 700
SERIES	MINI	COMPACT HEIGHT	THREADED	LOW PROFILE	HEAVY DUTY	ISO	HEAVY LOAD	POWER COMPACT STROKE
								







APFA 150


ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
APFA --- 010	10	70	60
APFA --- 012	12.7	75.4	62.7
APFA --- 016	16	82	66
APFA --- 025	25	100	75
APFA --- 038	38	126	88
APFA --- 050	50	150	100
APFA --- 063	63.5	177	113.5
APFA --- 080	80	210	130
APFA --- 100	100	250	150
APFA --- 125	125	300	175



APFC-H 150






ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
APFC-H 150 010	10	70	60
APFC-H 150 012	12.7	75.4	62.7
APFC-H 150 016	16	82	66
APFC-H 150 025	25	100	75
APFC-H 150 038	38	126	88
APFC-H 150 050	50	150	100
APFC-H 150 063	63.5	177	113.5
APFC-H 150 080	80	210	130
APFC-H 150 100	100	250	150
APFC-H 150 125	125	300	175









APFA 250


ÜRÜN KODU	S (mm)	L1 ±0.25 (mm)	L (mm)
APFA 250 010	10	70	60
APFA 250 012	12.7	75.4	62.7
APFA 250 016	16	82	66
APFA 250 019	19	88	69
APFA 250 025	25	100	75
APFA 250 038	38	126	88
APFA 250 050	50	150	100
APFA 250 063	63.5	177	113.5
APFA 250 080	80	210	130
APFA 250 100	100	250	150
APFA 250 125	125	300	175



APFC-H 250






ÜRÜN KODU	S (mm)	L1 ±0.25 (mm)	L (mm)
APFC-H 250 010	10	70	60
APFC-H 250 012	12.7	75.4	62.7
APFC-H 250 016	16	82	66
APFC-H 250 019	19	88	69
APFC-H 250 025	25	100	75
APFC-H 250 038	38	126	88
APFC-H 250 050	50	150	100
APFC-H 250 063	63.5	177	113.5
APFC-H 250 080	80	210	130
APFC-H 250 100	100	250	150
APFC-H 250 125	125	300	175









APF 500


ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
APF 500 010	10	105	95
APF 500 012	12.7	110.4	97.7
APF 500 016	16	117	101
APF 500 025	25	135	110
APF 500 038	38	161	123
APF 500 050	50	185	135
APF 500 063	63.5	212	148.5
APF 500 080	80	245	165
APF 500 100	100	285	185
APF 500 125	125	335	210
APF 500 160	160	405	245



AG 750






ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
AG 750 012	12.7	120.4	107.7
AG 750 025	25	145	120
AG 750 038	38	171	133
AG 750 050	50	195	145
AG 750 063	63.5	222	158.5
AG 750 080	80	255	175
AG 750 100	100	295	195
AG 750 125	125	345	220
AG 750 160*	160	415	255
AG 750 200*	200	495	295
AG 750 250*	250	595	345
AG 750 300*	300	695	395









AG 1500


ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
AG 1500 012	12.7	135.4	122.7
AG 1500 025	25	160	135
AG 1500 038	38	186	148
AG 1500 050	50	210	160
AG 1500 063	63.5	237	173.5
AG 1500 080	80	270	190
AG 1500 100	100	310	210
AG 1500 125	125	360	235
AG 1500 160*	160	430	270
AG 1500 200*	200	510	310
AG 1500 250*	250	610	360
AG 1500 300*	300	710	410



AG 3000






ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
AG 3000 012	12.7	145.4	132.7
AG 3000 025	25	170	145
AG 3000 038	38	196	158
AG 3000 050	50	220	170
AG 3000 063	63.5	247	183.5
AG 3000 080	80	280	200
AG 3000 100	100	320	220
AG 3000 125	125	370	245
AG 3000 160*	160	440	280
AG 3000 200*	200	520	320
AG 3000 250*	250	620	370
AG 3000 300*	300	720	420









AG 5000


ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
AG 5000 012	12.7	165.4	152.7
AG 5000 025	25	190	165
AG 5000 038	38	216	178
AG 5000 050	50	240	190
AG 5000 063	63.5	267	203.5
AG 5000 080	80	300	220
AG 5000 100	100	340	240
AG 5000 125	125	390	265
AG 5000 160*	160	460	300
AG 5000 200*	200	540	340
AG 5000 250*	250	640	390
AG 5000 300*	300	740	440



AG 7500

ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
AG 7500 012	12.7	180.4	167.7
AG 7500 025	25	205	180
AG 7500 038	38	231	193
AG 7500 050	50	255	205
AG 7500 063	63.5	282	218.5
AG 7500 080	80	315	235
AG 7500 100	100	355	255
AG 7500 125	125	405	280
AG 7500 160*	160	475	315
AG 7500 200*	200	555	355
AG 7500 250*	250	655	405
AG 7500 300*	300	755	455





AG 10000

ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
AG 10000 012	12.7	185.4	172.7
AG 10000 025	25	210	185
AG 10000 038	38	236	198
AG 10000 050	50	260	210
AG 10000 063	63.5	287	223.5
AG 10000 080	80	320	240
AG 10000 100	100	360	260
AG 10000 125	125	410	285
AG 10000 160*	160	480	320
AG 10000 200*	200	560	360
AG 10000 250*	250	660	410
AG 10000 300*	300	760	460

