


mini

AF SERİSİ GAZLI YAYLAR

[illegible]






								
mm	mm	mm	daN					
								
Ø32	Ø32	Ø32	Ø32	Ø32	Ø32	Ø32	Ø32	Ø32
L1=80	L1=87 L1=89	L1=89	L1=92	L1=100	L1=100	L1=105	L1=120	
350	300	300	350	150	300 350	500	770	
MODEL	CW 350	CT 300 CK 300	AST 300	AFT 350	APFA 150	CD 300 CM 350	CP 500	CS 700
SERIES	COMPACT HEIGHT 	LOW PROFILE 	THREADED 	MINI 	ISO 	HEAVY DUTY 	HEAVY LOAD 	POWER COMPACT STROKE 



KOD	RENK	bar	psi	F ₀ daN	F ₁ daN
AFB 13 050 V2	Yeşil	45	650	13	20
AFB 25 050 V2	Mavi	90	1305	25	40
AFB 38 050 V2	Kırmızı	135	1960	38	60
AFB 50 050 V2	Sarı	180	2610	50	80
AFB XX 050 V2	Siyah	20-180	290-2610	6-50	9-80

AFB V2





ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
AFB --- 007	7	56	49
AFB --- 010	10	62	52
AFB --- 012	12.7	67.4	54.7
AFB --- 015	15	72	57
AFB --- 019	19	80	61
AFB --- 025	25	92	67
AFB --- 038	38	118	80
AFB --- 050	50	142	92
AFB --- 063	63.5	172	108.5
AFB --- 075	75	195	120
AFB --- 080	80	205	125




KOD	RENK	bar	psi	F ₀ daN	F ₁ daN
AFH 18 050 V1	Yeşil	35	510	18	35
AFH 35 050 V1	Mavi	70	1015	35	70
AFH 50 050 V1	Kırmızı	100	1450	50	100
AFH 70 050 V1	Sarı	140	2030	70	140
AFH XX 050 V1	Siyah	20-180	290-2610	10-90	20-180

AFH V1

ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
AFH --- 007	7	56	49
AFH --- 010	10	62	52
AFH --- 012	12.7	67.4	54.7
AFH --- 015	15	72	57
AFH --- 019	19	80	61
AFH --- 025	25	92	67
AFH --- 038	38	118	80
AFH --- 050	50	142	92
AFH --- 063	63.5	172	108.5
AFH --- 075	75	195	120
AFH --- 080	80	205	125










KOD	RENK	bar	psi	F ₀ daN	F ₁ daN
AFJ 30 050	Yeşil	60	870	30	40
AFJ 50 050	Mavi	100	1450	50	70
AFJ 70 050	Kırmızı	140	2030	70	95
AFJ 90 050	Sarı	180	2610	90	120
AFJ XX 050	Siyah	20-180	290-2610	10-90	13-120

AFJ





ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
AFJ --- 007	7	56	49
AFJ --- 010	10	62	52
AFJ --- 012	12.7	67.4	54.7
AFJ --- 015	15	72	57
AFJ --- 025	25	92	67
AFJ --- 038	38	118	80
AFJ --- 050	50	142	92
AFJ --- 063	63.5	172	109
AFJ --- 080	80	205	125
AFJ --- 100	100	245	145
AFJ --- 125	125	295	170




KOD	RENK	bar	psi	F ₀ daN	F ₁ daN
AFK 25 050 V1	Yeşil	40	580	25	35
AFK 50 050 V1	Mavi	80	1160	50	70
AFK 75 050 V1	Kırmızı	120	1740	75	105
AFK 100 050 V1	Sarı	160	2320	100	140
AFK XXX 050 V1	Siyah	20-160	290-2320	13-100	18-140

AFK V1

ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
AFK --- 010	10	74	64
AFK --- 012	12.7	79.4	66.7
AFK --- 016	16	86	70
AFK --- 025	25	104	79
AFK --- 038	38	130	92
AFK --- 050	50	154	104
AFK --- 063	63	180	117
AFK --- 080	80	214	134










KOD	RENK	bar	psi	F ₀ daN	F ₁ daN
AFC 50 050	Yeşil	45	650	50	75
AFC 100 050	Mavi	90	1305	100	155
AFC 150 050	Kırmızı	135	1960	150	230
AFC 200 050	Sarı	180	2610	200	305
AFC XXX 050	Siyah	20-180	290-2610	23-200	35-305

AFC





ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
AFC --- 010	10	62	52
AFC --- 012	12.7	67.4	54.7
AFC --- 015	15	72	57
AFC --- 016	16	74	58
AFC --- 020	20	82	62
AFC --- 025	25	92	67
AFC --- 030	30	102	72
AFC --- 038	38	118	80
AFC --- 050	50	142	92
AFC --- 063	63.5	172	108.5
AFC --- 080	80	205	125
AFC --- 100	100	245	145
AFC --- 125	125	295	170




KOD	RENK	bar	psi	F ₀ daN	F ₁ daN
AFNA 50 050	Yeşil	45	650	50	75
AFNA 100 050	Mavi	90	1305	100	155
AFNA 150 050	Kırmızı	135	1960	150	230
AFNA 200 050	Sarı	180	2610	200	305
AFNA XXX 050	Siyah	20-180	290-2610	23-200	35-305

AFNA

ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
AFNA --- 010	10	65	55
AFNA --- 012	12.7	70.4	57.7
AFNA --- 016	16	77	61
AFNA --- 025	25	95	70
AFNA --- 038	38	121	83
AFNA --- 050	50	145	95










KOD	RENK	bar	psi	F ₀ daN	F ₁ daN
AF 50 050 V1	Yeşil	45	650	50	75
AF 100 050 V1	Mavi	90	1305	100	135
AF 150 050 V1	Kırmızı	135	1960	150	205
AF 200 050 V1	Sarı	180	2610	200	270
AF XXX 050 V1	Siyah	20-180 (290-2610)	23-200	30-270	

AF V1

ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
AF --- 012	12	78	66
AF --- 015	15	84	69
AF --- 025	25	104	79
AF --- 038	38	130	92
AF --- 050	50	154	104
AF --- 063	63	180	117
AF --- 080	80	214	134
AF --- 100	100	254	154



KOD	RENK	bar	psi	F ₀ daN	F ₁ daN
AFT 80 050	Yeşil	40	580	80	135
AFT 160 050	Mavi	80	1160	160	265
AFT 240 050	Kırmızı	120	1740	240	400
AFT 310 050	Sarı	155	2250	310	515
AFT XXX 050	Siyah	20-180 (290-2610)	40-360	65-600	

AFT

ÜRÜN KODU	S (mm)	L1 ±0,25 (mm)	L (mm)
AFT --- 007	7	56	49
AFT --- 010	10	62	52
AFT --- 012	12.7	67.4	54.7
AFT --- 015	15	72	57
AFT --- 025	25	92	67
AFT --- 038	38	118	80
AFT --- 050	50	142	92
AFT --- 063	63.5	172	108.5
AFT --- 080	80	205	125
AFT --- 100	100	245	145
AFT --- 125	125	295	170

